

USER MANUAL

DUAL DRIVE NETWORK CENTER EXTERNAL REMOVABLE DUAL NETWORK HARD DRIVE / 3.5" / GIGABIT LAN / USB 2.0 HOST



Dear user!

Thankyou very much for deciding on the **Freecom Dual Drive Network Center**. The Freecom Dual Drive Network Center offers you easy-to-use network storage possibilities and the facility of using the device as a DLNA/UPnP media server and as a torrent download client.

Please note: this manual is a general manual which is used for several Freecom products. Product pictures shown in this manual may differ from the device you bought.

> Freecom Technologies • Germany www.freecom.com

Contents of the box

Please check the contents of the box. All articles included in this box are listed on the back side of the packaging.

Need assistance? Have questions?

In case you have a question about the use of this product, need information about other Freecom products or need technical assistance, please contact the Freecom Service Center for your country. See <u>www.freecom.com</u> for details.

Freecom offers free unlimited helpdesk support.



Warning!

All rights reserved. The products named in this manual are only used for identification purposes and may be trademarks or registered trademarks of the respective companies. This device was designed for home or office use.

This device is equipment complying with EN55022 class B.

Freecom cannot be made liable for any damages, loss of data or damage following thereof -whatsoever (including, without limitation, damages for loss of business profits, business interruption, loss of business information, or other pecuniary loss) arising out of the use of or inability to use this Freecom product, even if Freecom has been advised of the possibility of such damages.

We reserve the right to upgrade our products in keeping with technological advances.



Table of Contents

General Information

System requirementsPage	4
Precautionary measuresPage	5
Freecom Dual Drive Network Center Setup OverviewPage	6
Chapter	
Hardware Installation Page	7
Chapter	
Computer ConfigurationPage	9
Chapter	
Installation of the application softwarePage	15
Chapter	
Accessing the Dual Drive Network CenterPage	18
Chapter	
Configuration of the Freecom Dual Drive Network Center Page	22
Chapter	
Dual Drive Network Center FunctionsPage	24
Chapter	
The Freecom Network Storage AssistantPage	51



General Information

Your system needs to meet the following hardware and software requirements for the device to function properly.

System requirements

To use the Freecom Dual Drive Network Center, you will require the following components:

PC:

- Intel Pentium III / AMD Duron 900 MHz or higher
- 256 MB RAM (Vista / 7: 512 MB RAM) or higher
- LAN (1000Base-T full duplex connection recommended)
- CD-ROM drive
- Internet connection for online warranty registration, software updates and downloads
- Operating system: Windows XP, Windows Vista, Windows 7

Mac:

- PowerPC G4/G5 or Intel Mac
- 256 MB RAM or higher
- LAN (1000Base-T full duplex connection recommended)
- CD-ROM drive
- · Internet connection for online warranty registration, software updates and downloads
- Operating system: Mac OS X v10.4 or higher

In order to enable immediate use, your Freecom Dual Drive Network Center is pre-formatted and configured as RAID 0. You therefore have the maximum storage space available. If you value maximum data security, we recommend the configuration as RAID 1. In the "RAID 1" mode, your hard disks will be mirrored, so that only half the maximum storage space will be available. If one hard disk fails, your data can then be restored from the second hard disk. Further information on hard disk configuration can be found in Section "Configuration of the hard disks" of this manual.



Precautionary measures


To ensure that your Freecom Dual Drive Network Center functions properly, please take note of the following precautions. If these are not followed, you may void your warranty and damage the Freecom Dual Drive Network Center.

- Do not drop the Freecom Dual Drive Network Center or expose it to other kinds of sudden mechanical shocks as this may result in data loss and damage to the Dual Drive Network Center.
- Do not use the Freecom Dual Drive Network Center when the ambient temperature is below 10°C or above 35°C.
- If the Freecom Dual Drive Network Center is moved from a cool environment to a warmer environment, please allow the drive to acclimatize to the ambient temperature before operating the device. Failing to do so may lead to condensation within the drive enclosure, which in turn may cause the drive to malfunction.
- Do not place liquids or drinks on the Freecom Dual Drive Network Center. When liquids are spilled and get in contact with the electronics within the drive enclosure, it will damage the drive and will cause the drive to malfunction.
- Do not use the Freecom Dual Drive Network Center in a dusty environment. Dust inside the enclosure may damage the internal electronics and result in drive malfunction.
- Only use the power adapter that was supplied with the Freecom Dual Drive Network Center.
- Opening the Freecom Dual Drive Network Center will void the warranty.


If at any point during installing and/or configuring your Freecom Dual Drive Network Center you need assistance or have questions, please contact the Freecom Support Center for your country. See <u>www.freecom.com</u> for details.

Freecom offers free unlimited helpdesk support.









- 1. Connect the interface cable* to the Freecom Dual Drive Network Center.
- 2. **Optional:** Connect the cable of the power supply to the Freecom Dual Drive Network Center and the power supply itself to the socket.
- 3. Connect the other end of the interface cable* to a network router.

Please note: Your router must be configured as a DHCP server. Further information on setting up the DHCP server function of your router can be found in the manual of your router.

- 4. **Optional:** if your device comes with a power switch, switch on the device before using it.
 - * Please use the interface cables that come with your device (e.g. USB, eSATA, Firewire, LAN) for connecting the device to your PC/Mac.




LED Description

	On	Flashing	Red	Off
1. LED: HDD 1	Formatted HDD	x	Unformatted HDD	х
2. LED: HDD 2	Formatted HDD	x	Unformatted HDD	х
3. LED:Network	Network connection	х	x	No network connection
4. LED: Power	Normal mode	Data access	System fault	Device off



Power switch

Please turn the Freecom Dual Drive Network Center off when it is not in use. This conserves electricity and extends the life of the device. The power switch is located on the rear of the Freecom Dual Drive Network Center.





Chapter: Computer Configuration

Check TCP/IP Settings in Windows XP

1. Open "Start" -> "Settings" -> "Control Panel".



2. Double-click on "Network Connections".

Network Connections		-0
Ele Edit Yew Favorites Io	ols Adva <u>n</u> ced <u>H</u> elp	<u>a</u>
🔾 tak • 🔘 👌 🕺	Search 📴 Folders 🛄 •	
gáress 🗳 Network Connections		¥ 🔁 Go
Network Tasks Image: Contract on the memory connection Image: Contract on the memory connection Image: Setup on here or small office network Image: Change: Windows Frendl settings Image: Windows Frendl settings	LAN or High-Speed Internet Local Area Connection Connected, Frenaled Intel(R) PRO/J20 VE Network Wirdcas Network Connection Intel(R) PRO/J20 VE Network	
See Also 3	v	

3. Right-click on your "Local Area Connection" and select "Properties".



4. The following screen will appear. Select "Internet Protocol (TCP/IP)" and click on the "Properties" button.

General Authentio	ation A	dvanced			
Intel(R) PR	0/100 VE	Network C	onne	Confi	igure
This connection u	ses the fo	llowing item	s:]	
🗹 📙 Qo S Pac					
AEGIS F			v2.2.1.	0	ſ
	rotocol (ICP/IP)			
<					>
Install		<u>U</u> ninstall		Prope	erties
Description					
Transmission C wide area netw across diverse	ork proto	col that prov	ides co		
Show icon in r	otification	area when	connec	ted	
Notify me whe					ectivity
		-	OK		Cance


5. In the "General" tab, select "Obtain an IP address automatically" and "Obtain DNS server address automatically".

Internet Protocol (TCP/IP) Pro	perties 🔹 👔 🛛 👔
General Alternate Configuration	
You can get IP settings assigned au this capability. Otherwise, you need the appropriate IP settings.	
Obtain an IP address automatic	ally
Use the following IP address:	
IP address:	
Sybnet mask:	
Default gateway:	
Obtain DNS server address aut	tomatically
Use the following DNS server a	addresses:
Preferred DNS server:	
Alternate DNS server:	
	Advanced
-	OK Cancel



Check TCP/IP Settings in Windows Vista / 7

1. Open "Control Panel" -> "Network and Sharing Center".



2. Click on "Manage network connections".





3. Right-click on "Local Area Connection" and select "Properties".

	ze 🔻 🔡 Vie	ork Connections		✓ ✓ Search		Q
Vame	Status	Device Name	Connectivity	Network Category	Owner	? »

4. In the "Networking" tab, select "Internet Protocol Version 4 (TCP/IPv4)" and click on "Properties".

letworking Sharing		
Connect using:		
🔮 Realtek RTL8	139/810x Family Fast Ethe	met NIC
This connection uses	the following items:	Configure
Client for Mi	Contractor of the second	
QoS Packe		
File and Prin	ter Sharing for Microsoft N	latura da a
	iter origing for microsoft n	IELWOIKS
🗹 🔺 Internet Pro	tocol Version 6 (TCP/IPv6)
 Internet Pro Internet Pro 	tocol Version 6 (TCP/IPv6 tocol Version 4 (TCP/IPv4	
 ✓ ▲ Internet Pro ✓ ▲ Internet Pro ✓ ▲ Internet Pro ✓ ▲ Link-Layer 	tocol Version 6 (TCP/IPv6 tocol Version 4 (TCP/IPv4 Fopology Discovery Mappe) er I/O Driver
 ✓ ▲ Internet Pro ✓ ▲ Internet Pro ✓ ▲ Internet Pro ✓ ▲ Link-Layer 	tocol Version 6 (TCP/IPv6 tocol Version 4 (TCP/IPv4) er I/O Driver
 ✓ ▲ Internet Pro ✓ ▲ Internet Pro ✓ ▲ Internet Pro ✓ ▲ Link-Layer 	tocol Version 6 (TCP/IPv6 tocol Version 4 (TCP/IPv4 Fopology Discovery Mappe) er I/O Driver
✓ ▲ Internet Pro ✓ ▲ Internet Pro ✓ ▲ Internet Pro ✓ ▲ Link-Layer ✓ ▲ Link-Layer	tocol Version 6 (TCP/IPv6 tocol Version 4 (TCP/IPv4 Fopology Discovery Mappe Fopology Discovery Respo) ar I/O Driver nder
✓ ▲ Internet Pro ✓ ▲ Internet Pro ✓ ▲ Internet Pro ✓ ▲ Link-Layer ✓ ▲ Link-Layer ✓ ▲ Link-Layer ✓ ✓ ■ Link-Layer ✓ ✓ ■ Link-Layer ✓ ✓ ■ Link-Layer	tocol Version 6 (TCP/IPv6 tocol Version 4 (TCP/IPv4 Topology Discovery Mappe Topology Discovery Response Uninstall rol Protocol/Internet Proto protocol that provides co) or I/O Driver nder Properties
✓ ▲ Internet Pro ✓ ▲ Internet Pro ✓ ▲ Internet Pro ✓ ▲ Link-Layer ✓ ▲ Link-Layer ✓ ▲ Link-Layer ✓ ✓ ■ Link-Layer ✓ ✓ ■ Link-Layer ✓ ✓ ■ Link-Layer	tocol Version 6 (TCP/IPv6 tocol Version 4 (TCP/IPv6 Fopology Discovery Mappe Fopology Discovery Response Uninstall) or I/O Driver nder Properties



5. In the "General" tab, select "Obtain an IP address automatically" and "Obtain DNS server address automatically".

General	Alternate Configuration				
this cap	n get IP settings assigned aut ability. Otherwise, you need appropriate IP settings.				
0	otain an IP address automatic	ally			
0 U	e the following IP address:				
<u>I</u> P ac	idress:	() - ¥(-	ě	+	
Sybr	iet mask:				
<u>D</u> efa	ult gateway:	0		34	
00	otain DNS server address auto	omatically			
	- e the following DNS server a	9 (C. 1999) 1992 1			
Pref	erred DNS server:	1	12	14	
Alter	nate DNS server:	<u> </u>			
				Adva	anced
		_			12000
			OK		Cance

Check TCP/IP Settings in Mac OS X

1. Open "System Preferences" -> "Network".





2. In the "TCP/IP" tab, select "Using DHCP" in the "Configure IPv4" settings.

		Q
	Location: Automatic	•
	Show: Ethernet (integriert)	•
ТС	P/IP PPPoE AppleTalk Proxies	Ethernet
Configure IPv4	: Using DHCP	•
IP Address	: 192.168.1.206	(Renew DHCP Lease)
Subnet Mask	:: 255.255.255.0 DHCP Client ID	
Route	r: 192.168.1.1	(If required)
DNS Servers		(Optional)
Search Domains		(Optional)
IPv6 Address	: fe80:0000:0000:0000:020d:93ff:fe38:	e598
	Configure IPv6	(?



Chapter: Installation of the application software

Installation of the Freecom Network Storage Assistant Software (PC)

The Freecom Network Storage Assistant quickly detects and performs the basic setup of your Dual Drive Network Center. When you start it, it displays all Freecom Network devices available in your network and helps you creating network folders.

- Please insert the Manual & Application CD into your CD/DVD drive. It contains user manuals and software, including the Freecom Network Storage Assistant. Once the CD is inserted, a window should appear automatically on the screen. If this does not happen, please proceed as follows:
- 2. Open "My Computer".
- 3. Double-click the CD drive containing the CD. The CD window should now open.

Manuals	
Software Installation	
Support	
Freecom Products	1000
Save Freecom files	
Quit	JAL DRIVE NETWORK CENTER

- 4. Click on "Software Installation" -> "FNS Assistant". The installation starts now. Follow the instructions on the screen, confirm with "Next" in order to continue with the installation. After installation has finished, press "Quit" to exit the menu screen.
- 5. Start the Freecom Network Storage Assistant by clicking on the "FNSA" icon on your desktop or via "Start" -> "program files".
- 6. Check the Freecom Network Storage Assistant whether your Dual Drive Network Center was detected. This may take some time. If your Dual Drive Network Center is not immediately detected, click "Search again for available Freecom Network Storage devices" to repeat the search.



	LAN IP Address	Server Name	Name
FREECOM	192.168.11.26	\\DDNetwork Center	DDNetwork Center
	You can do follow	-	ecom Network Storage device
		ce of your Freecom Netv	
	 <u>Add & Rem</u> <u>Add a new p</u> 	ove mapped shares	
	<u>Start recover</u>	ry procedure	
	 <u>Search again</u> 	n for available Freecom I	<u>Network Storage devices</u>

7. For a detailed functional description on the Freecom Network Storage Assistant, please refer to chapter "The Freecom Network Storage Assistant".



Installation of the Freecom Network Storage Assistant Software (Mac)

The Freecom Network Storage Assistant quickly detects and performs the basic setup of your Dual Drive Network Center. When you start it, it displays all Freecom Network devices available in your network and helps you creating network folders.

- 1. Please insert the Manual & Application CD into your CD/DVD drive. It contains user manuals and software, including the Freecom Network Storage Assistant.
- 2. You will now see CD icon on your Mac desktop.
- 3. Double-click on the CD icon. Click "Start". The CD window should now open.

Manuals	
Software Installation	
Support	
Freecom Products	iter
Save Freecom files	
X Quit	JAL DRIVE NETWORK CENTER

- 4. Click on "Software Installation" -> "FNS Assistant". The installation starts now. Follow the instructions on the screen, confirm with "Next" in order to continue with the installation. After installation has finished, press "Quit" to exit the menu screen.
- 5. Start the Freecom Network Storage Assistant. This can be found in "Applications" -> "Utilities".
- 6. Check the Freecom Network Storage Assistant whether your Dual Drive Network Center was detected. This may take some time. If your Dual Drive Network Center is not immediately detected, click "Search again for available Freecom Network Storage devices" to repeat the search.
- 7. For a detailed functional description on the Freecom Network Storage Assistant, please refer to chapter "The Freecom Network Storage Assistant".



Chapter: Accessing the Dual Drive Network Center

Accessing data via SMB

Server Message Block (SMB) operates as a network protocol mainly used to provide shared access to files between nodes on a network.

Windows

Open Windows Explorer and enter either

\\ddnetworkcenter* or

\\IP_ADDRESS in the address bar (IP_ADDRESS is the IP address of your Dual Drive Network Center).



If you have changed the host name or the IP address, please use the new settings. Enter your username and password for accessing the Dual Drive Network Center. If you are logging on as the administrator, you will have access to all folders on the Dual Drive Network Center.

Linux

Open the file browser (Konqueror, for instance) and enter

smb://ddnetworkcenter * or

smb:// IP_ADDRESS in the address bar (IP_ADDRESS is the IP address of your Dual Drive Network Center).

Enter your username and password for accessing the Dual Drive Network Center. If you are logging on as the administrator, you will have access to all folders on the Dual Drive Network Center.

Mac OS

Mac OS X Vers.10.4 and higher

Select 'Go To' -> 'Connect to Server...'from the menu bar. The Dual Drive Network Center address is:

smb://ddnetworkcenter * or

smb:// IP_ADDRESS in the address bar (IP_ADDRESS is the IP address of your Dual Drive Network Center).

00	Connect to S	erver
Server Address:		
smb://DDNetwor	k Center	(+) (O.)
Favorite Servers:		
(?) (Remove)	(Browse) (Connect)

* Factory defaults. If you have changed the host name or the IP address, please use the new settings.



Click 'Connect'. Enter the workgroup, your username and password for accessing the Dual Drive Network Center. If you are logging on as the administrator, you will have access to all folders on the Dual Drive Network Center.

	reecom Dual Drive Network Center is n Freecom Dual Drive Network Center
SMB/CIFS File System Authentication Enter the workgroup or domain and your user name and password to access the server "DDNetwork Center" "DDNetwork Center" Workgroup or Domain WORKGROUP Name admin Password Remember this password in my keychain	Enter your user name and password to access the file server "DDNetwork Center" Connect as: O Cuest Registered User Name: admin Password:
Cancel	Cancel Connect
Mac OS X 10.4	Mac OS X 1

You now need to select a shared folder on the next screen. Press OK to continue. After pressing OK, the Dual Drive Network Center is configured and an icon appears on your computer desktop.

	$\bigcirc \bigcirc \bigcirc \bigcirc$	
Select the SMB/CIFS shared volume you want to connect to.	****	Select the volumes to mount: music PUBLIC Cancel OK
Mac OS X 10.4		Mac OS X 10.5

To access all the Dual Drive Network Center folders that your username has been assigned user privileges, simply double-click this icon.



800		Menetworkcenter			
4 1	11 = 1 =	0 0-		9	
* DOVICES	Connected a	L'admin			Chiconnect.
05 10.5	None			Date Middfed	
E1 43aa	- 35 Ph/48				
🗐 Wednes 7	E PUBLIC				
V.SHARD	1.20				
CO national contact					
Min-aks-013					
M mangled					
Heiztaite					
a wasadag					
* PLACES					
22 Desktor	in the second				
These matter				-	24.4
1		1 men		100	100
				lac OS	V 10 5
			10	Iac US	A 10.5

19



Accessing data via FTP

Note: Not all browsers can upload data via FTP. Those that can include Internet Explorer and Konqueror. We recommend using FTP client software such as WS_FTP, SmartFTP or CuteFTP.

The File Transfer Protocol (FTP) is a standard network protocol used to exchange files over an Internet Protocol (TCP/IP) computer network. The FTP protocol is built on a client-server architecture.

Local access

Enable the FTP Server option. Use any FTP client software or open your browser and enter

ftp://USERNAME:USERPASSWORD@IP_ADDRESS *

or

ftp://USERNAME:USERPASSWORD@ddnetworkcenter *

(IP_ADDRESS is the IP address of your Dual Drive Network Center)

FTP access via the Internet

Enable the FTP Server option in the Dual Drive Network Center Configuration. Your router must be configured as follows:

1. Port forwarding

Forward port 21 to the IP address of your Dual Drive Network Center.

^{*} If you have changed the hostname or the IP address of the Dual Drive Network Center, please use the new settings here.



2. Dynamic DNS

Dynamic Domain Name System gives the ability to provide an official DNS name such as www.yourname.com to the dynamic IP address you have gotten from your ISP.

To do so, you first need to register with a DynDNS service. It updates the modified IP addresses and forwards this to the domain name. This enables you to be reached at one single domain name at any time even if your IP address changes.

If your router supports this option, we recommend using this feature, otherwise you always need to know the WAN IP of your router to access the Dual Drive Network Center via FTP from the internet.

Use any FTP client software or open your browser and enter ftp://USERNAME:USERPASSWORD@YOUR_INTERNET_IP or ftp://USERNAME:USERPASSWORD@YOUR_DYNDNS_HOST. USERNAME = your username USERPASSWORD = your user password YOUR_INTERNET_IP = your WAN IP address YOUR_DYNDNS_HOST = your Dynamic DNS address



Chapter: Configuration of the Freecom Dual Drive Network Center

The Freecom Network Storage Assistant

You can use the "Freecom Network Storage Assistant" to configure the Freecom Dual Drive Network Center. This tool offers the following functions:



Accessing your Dual Drive Network Center web interface

When you click this menu item, the web interface for your Freecom Dual Drive Network Center opens in your default browser.

Adding and removing shared folders

You can assign a drive letter to shared folders on your Freecom Dual Drive Network Center. This allows you to access files more quickly.

ap share –



Repeat search for available Freecom Dual Drive Network Center

Click here to repeat the search for your Freecom Dual Drive Network Center if it was not detected during the first search. Please make sure that your network is configured as described in this manual and that all cables are properly attached.

Contact the Freecom Support Center if all cables are connected but your device is still not recognized after several attempts.



Chapter: Freecom Dual Drive Network Center functions

This section describes the functions of your Freecom Dual Drive Network Center.

Login

Use the "Freecom Network Storage Assistant" to open the web interface of your Dual Drive Network Center, or start your browser and enter

http://ddnetworkcenter

in order to open the web interface.

A login window opens:

Please use the following user name and password to log in for the first time:

User name: admin

Password: admin

Status

If you select this option, you will be shown an overview of your device and network settings, and the hard disk status:

Status		Statu
System Information		Setu
Device Name	DDNetworkCenter	Setting
Group Name Date/Time	WORKGROUP 2010 / 04 / 23 20:04	Setting
Display Language	2010 7 04 7 23 20:04	LO
Firmware Version	v3.4.21b	
Device Number	0ACB15306B40	Use
Network Information		Share Folde
P Address		
		FTP Serve
Service Information		Media Serve
Share Folder		BT Downloa
FTP Server		
Media Server		
Tunes Server forrent Client	ON ON	



Setup

The section "Setup" enables the configuration of the basic settings of your Freecom Dual Drive Network Center.

		INNOVATIVE COMMAN QUALITY
System Network	DHCP Date/Time Disk Up	ograde Statu
System Information		Setu
Device Name Group Name	D0NetworkCenter WORKGROUP	Setting
		Apply Lo
		Use
Administrator Settings		Share Folde
New Password Confirm password		FTP Serve
		Acov Media Serve
Power Management		
Click "Reboot" to have the The SYSTEN LED will blink When the LED is steady, t Log into the device again t	he restart is complete.	
	Bhutdown	Reboot

The following settings can be configured in the sub-menu "System" :

- Changing the device and group name under the menu item System
- Changing the administrator password under the menu item System
- The device can be switched off, or a restart initiated, under the menu item System
- Configuration of the network settings under the menu item Network
- Configuration of a DHCP server under the menu item DHCP
- Setting the date and time under the menu item Date/Time
- Configuration of RAID and JBOD under the menu item Disk
- Updating the system firmware under the menu item Upgrade



System

The following settings can be configured in the sub-menu "System":

- Device name
- Group name
- Administrator password

DualDrive Network Center	
System Network DHCP DateTime Disk Upgrade	Status
System Information	Setup
Device Name DONeswirkCenter Group Name WORKGROUP	Settings
Apply	Log
	User
Administrator Settings	Share Folder
Confirm password	FTP Server
Apply	Media Server
Power Management	
Cick "Reboot" to have the device perform a software restart. The SYSTEM LED will black as the device restarts. When the LED is steady, the restart is complete. Log into the device again to access the web UI.	
Clock "Shutdown" to power-off your device.	

Updating the device/group name

Go to Setup -> System

Here under System Information you can change the device name and the name of the group in which your Freecom Dual Drive Network Center is located.

New name

If you change the name of the Freecom Dual Drive Network Center, your device can be reached at http://NEW_NAME (NEW_NAME stands for the name you have given the device).

The maximum length of the device name is 15 characters. The only characters allowed are A-Z, a-z and 0-9.



New group

Here you can change the name of the group in which your device is located.

The maximum length of the group name is 15 characters. The only characters allowed are A-Z, a-z and 0-9.

Click on "Apply" after you have changed the settings. Your Freecom Dual Drive Network Center will be restarted in order to accept the settings.

	etwork Cer			II FREECOM
System Netwo	rk DHCP	Date/Time Disk	Upgrade	Statu
System Information				Setu
Device Name Group Name	D0Network WORKGROU			Setting
			Ac	elv Lo
				Use
Administrator Setting	s			Share Folde
New Password Confirm password				FTP Serve
			Aç	ev Media Serve
Power Management				
Power Management Click "Reboot" to have The SYSTEM LED will be When the LED is stead Log into the device aga	inks as the device r y, the restart is con	restarts. nplete.		
Click "Reboot" to have The SYSTEM LED will be When the LED is stead	inks as the device r y, the restart is cor in to access the we	restarts. nplete. 6 UL		
Click "Reboot" to have The SYSTEN LED will be When the LED is stead Log into the device aga	inks as the device r y, the restart is cor in to access the we	restarts. nplete. 6 UL	Shutdown Reb	out
Click "Reboot" to have The SYSTEN LED will be When the LED is stead Log into the device aga	inks as the device r y, the restart is cor in to access the we	restarts. nplete. 6 UL	Shuldown Reb	int.
Click "Reboot" to have The SYSTEN LED will be When the LED is stead Log into the device aga	inks as the device r y, the restart is cor in to access the we	restarts. nplete. 6 UL	Shukdown Reb	aet.

Changing the administrator password

Here you can change your administrator password. Please enter the new password, and then repeat the new password in the second field.

If you have forgotten your administrator password, reset the device to the works settings as described in Section "Start recovery procedure".

System Network DHCP Date/Time Disk Upgrade System Information Device Tame Group Name UpdcotCopt Administrator Settings Nem Password Stressword	ОМ
Device Name EDistructions Group Name Workscious Administrator Settings New Password St	Status
Group Name Undexploue Administrator Settings New Password St	Setup
Administrator Settings	Settings
New Password St	Log
New Password St	User
	are Folder
	FTP Server
Apply.	dia Server



Power Management

Here you can shut down or restart the device via the web interface. This is done by clicking with the mouse pointer on the Shutdown button or clicking the Reboot button.

DualDrive Netv	ork Cent	er		II FREECOM
System Network	DHCP	Date Time Disk	Upgrade	Sta
System Information				Se
Device Name Group Name	DDNetworkCer WORKGRDUP	nter		Setti
			ļ	Apply
				U
Administrator Settings	-			Share Fol
Confirm password				FTP Ser
			ļ	Apply Media Ser
Power Management				
Cick "Reboot" to have the o The SYSTEM LED will bloks When the LED is steady, th Log into the device again to	as the device res e restart is comp	tarts. lete.		
Citck Shutuown to power-	on your device.		Shutdown	Rebost

Configuration of the network settings

Go to Setup -> Network

The following settings can be configured in the sub-menu "Network":


- Size of the Jumbo data packets
- Configuration of the network settings

buulbrive ne	twork Center	
System Networ	k DHCP Date/Time Disk Digrade	Sta
Network Interface		Set
Link Speed Jumbo Frame	100Mops Diable Jumbo Frames, WTU value is 1508 bytes 💌	Settir
		Apply
IP Address		Ű
Network Type IP	O Dynamic IP O Static IP 192.168.11.199	Share Fok
Net Hask Gateway DNS 1	255,255,255,0 192,140,11,1 195,50,140,240	Media Serv
	195.56,145,114	Apply



Network Interface

Under Network Interface, you can select the size of the Jumbo data packets. You can make the network settings either manually or automatically.





Note: Changing the size of the Jumbo frames is recommended only to experienced users.

Automatic configuration

If you select "Dynamic IP", your Freecom Dual Drive Network Center will automatically receive an IP address from a DHCP server (normally your router).

In the first step, please select "Dynamic IP" and then click on "Apply" in order to accept the changes. Your Freecom Dual Drive Network Center will then be restarted.

DualDrive Net	work Center	II FREECOM
System Network	DHCP DweiTime Disk Upgrade	Stat
Network Interface		Set
Link Speed Jumbo Frame	100Mbps Okabe Junde Farner, HTU value is 1533 bytes 🚽	Settin
		Zosły D
IP Address		Share Fold
Network Type J ⁱ	 Dynamic IP Static IP 132.108.11.199 	FTP Serv
Net Mask Gatoway	233.325.235.0 197.108.11.3	FIP SURV
	19550.146.248	Media Serv
	195.50.140.134	and the second
	(Zaoly
	If Countries Provider of Parking Street	



Manual configuration

Note: Do not use the manual configuration if you are not sure what is to be done here.

The manual configuration enables you to configure your Freecom Dual Drive Network Center with a static IP address.

In the first step, please select "Static IP" and then click on "Apply" in order to accept the changes. Your Freecom Dual Drive Network Center will then be restarted.

DualDrive Ne		
System Networ	DHCP Date/Time Disk Upgr	ide Statu
Network Interface		Setu
tink Speed Jumbo Frame	100Mbps Diable Jumbo Frames, MTU value is 1508 hytes 💌	Setting
		Aoply Lo
		Use
IP Address		Share Folde
Network Type IP	 Dynamic IP Static IP 142.148.11.199 	FTP Serve
Net Hask Gateway DNS 1	255.255.255.0 192.148.11.1 195.50.149.748	Media Serve
DNS 2	195.36,193:114	
		Apply
	6 Capyright freesoury - All rights researed	



Configuration of the DHCP server

Go to Setup -> DHCP

The following settings can be made under the sub-menu item DHCP:

- Configuration of the DHCP server
- Administration of clients

		ork Cent					II FREECOM
System N	letwork	DHCP	Date/Time	Disk	Upgri	ıde	Sta
DHCP service co	nfiguratio	i					Se
Service Status IP pool address ra	inge	 Enable 192.168.11 192.168.11 	100 - 192	.168.11. 199			Sett
Gateway Lease Time		24 hours					
						Apply	L
DHCP Client List							Share Fo
MAC Add	e55	IP Addres	15	Expir	es in		FTP Set
						Refresh	Media Ser

DHCP Server

You must select "Enable" in order to switch on the DHCP server. Now select the address area of the DHCP server and specify the standard gateway. The lease time determines how long an IP address will be reserved for a client. Click on "Apply" in order to accept the changes.

		INNOVATIVE SERMAN QUALITE
System Network	DHCP. Date/Time Disk. Upgrade	LStat
DHCP service configurat	lion	Set
Service Status IP pool address range	Enable Disable 192.158.11, 100 - 192.168.11, 199	Settir
Gateway Lease Time	192.166.11. 1 24 hours •	L
	Ap	
		U:
DHCP Client List MAC Address	IP Address Expires in	Share Fold
		Share Fok
	IP Address Expires in	Share Fok
	IP Address Expires in	Share Fok
DHCP Client List MAC Address	IP Address Expires in	Share Fok



DHCP Client List

DHCP Client List shows you all the clients who access the DHCP server when you click on "Refresh". This function also displays the MAC and IP addresses of the clients, and the remaining lease time per client.

System Network	DHCP Date/Time Disk Upgrad	lu St
DHCP service configura	ion	5
Service Status IP pool address range	● Enable ◎ Disable 192.168.11. 100 - 192.168.11. 199	Set
Gateway Lease Time	192.168.11. 1 24 hours -	
		Apply
		Share Fo
DHCP Client List MAC Address	IP Address Expires in	FTP Se
		Refresh: Media Se

Configuration of the date and time

Go to Setup -> Date/Time

The following settings can be configured in the sub-menu "Date/Time":

- Manual settings of date and time
- Automatic setting of date and time

DualDr	ive Netw	ork Cente	er				II FREECOM
System	Network	DHCP	Date/Time	Disk	Upgrade	Ĩ.,	Status
Manually							Setup
Date Time		2009/09/16 09 + 2 39 -	1				Settings
						Apply	Log
							User
O Auto Daylight Sav		🖲 Enable 🕥	AL192421				Share Folder
Time Zone NTP Server	ng rime		lejing, Hang Kong.	Singapore, Tabei		-	FTP Server
NTP DETVER		ntp.ewha.net time.windows.c time.org.uk stdtime.gov.hk	pm	- 3 		Add Edit elete	Media Server
						Apply	



Manual setting

Select "Manually" in order to enter the date and time manually. Click on "Apply" in order to accept the changes.



Automatic setting


Select "Auto", "Enable" and your time zone under Time Zone for the device to set the time itself. Click on "Apply" in order to accept the changes.

							NOVATIVE GERMAN QUALITY
System	Network	DHCP	Date/Time D	isk	Upgrade	L.	Sta
Manually							Se
Date Time		2009/09/16 09 ~ 2 39	-				Setti
						pply	
	N						
• Auto Daylight Sa		• Enable ©	Disable			_	
		(GMT+08:00)	Disable Bejing, Hang Kang, Single	ore, Tapei			
Daylight Sa Time Zone			Beging, Hong Kong, Singac	ore, Tapei	Ā		U Share Fol



Configuration of the hard disks

Go to Setup -> Disk



Current Disk Volume Configuration/Current USB Volume Configuration

Here you are shown an overview of the logical and physical drives and the current organisation of your logical drives. The overview will be updated if you click on "Refresh".



Disk Utility

Here you can select the organisation of your logical drives, for example by selecting "RAID 1".

Select an organisation schematic and either "Enable" or "Disable" S.M.A.R.T. S.M.A.R.T stands for Self-Monitoring, Analysis and Reporting Technology and monitors your hard disk operation. Now click on "Create" in order to create your required organisation schematic.

DualDrive N	letwork	Center				
System Netw	ork D)	ICP D	ate/Time	Disk:	Upgrade	Sta
Current Disk Volum	e Configura	tion				Se
Logical Volumes Raid Level RAID1		otal Size	Free 465		Status Ready	Setti
Physical Disks Disk Drive 1	Modei HD501LJ	Capacit 500 1 0	hy	Status Ready	S M A R T PASSED	
Drive 2	HD502HJ	500.1 0		Ready	PASSED	L
Current USB Volum	e Configura	tion				Share Fo
USB Disks Volume M	lodel	Total Size	Free	Stoe	FileSystem	FTP Ser
					Betre	Media Ser
Disk Utility						
RAID MODE	•	BOD ORAID 0	ORAID 1		Creat	
Delete Disk Partition					Delet	
Repair Harddisk					Repa	ir
Rebuild RAID					Rebui	id g
	r	Enable 🗢 Disa			Appl	
HDD Power Manage	ment					
		Enable 🕈 Disa	ble			
Power Management						
Power Management Turn off harddisks aft	ter 🛛	 minutes 				

RAID Modes

You can configure the hard disks of your Dual Drive Network Center in various RAID modes:

JBOD: In this mode, the hard disks of your Dual Drive Network Center are configured as individual drives.

RAID 0: In the mode "RAID 0", the hard disks of your Dual Drive Network Center are combined, and data is always distributed alternately between both hard disks. This offers the advantage that reading and writing takes place significantly more quickly than with individual hard disks. The disadvantage of this mode however is that if one of the two hard disks fails, all data on the Dual Drive Network Center will be lost.

RAID 1: If you use the mode "RAID 1", all data on the first hard disk will be mirrored onto the second hard disk. This means that only half of the total storage space of your Dual Drive Network Center is usable. The advantage however is the high data security, since all data is saved twice. In case of failure of one of the two hard disks, your data are still usable from the second hard disk.



HDD Power Management

The hard disks can be configured so that they are shut down after a certain time if they are not being used. This saves energy and increases the working life of the hard disk. This option is deactivated as standard.

Activate/deactivate the power management with Enable/Disable. Then select from the pull-down menu the time after which the hard disk will be switched to standby. You can select from the following settings:

- 10 min
- 20 min
- 30 min
- 60 min
- 120 min

Updating the Firmware

Go to Setup -> Upgrade

Upgrade

Click on "Browse" and select the downloaded file from <u>http://www.freecom.com</u>. Mit The new firmware is installed by clicking on "Apply". The device then restarts automatically

DualDrive Network Center	
System Network DHCP Date/Time Disk Upgrade	Status
Upload Firmware File	Setup
Durchsuchen	Settings
Apply Cancel	Log
	User
	Share Folder
	FTP Server
	Media Server

New firmware normally rectifies faults and extends the functions of your Dual Drive Network Center. Check at <u>http://www.freecom.com</u> whether new firmware updates are available.



Settings

Settings	Statu
Restore configuration settings	Setu
Attention: Restoring the configuration will delete your actual settings! Pease save your current configuration first!	Setting
Durchsuchen.	Lo
	Lood
Save configuration settings	Share Folde
Download your current configuration.	FTP Serve
	Swe Media Serve
Default configuration settings	
Attention: Reseting the configuration to factory defaults will delete your actual settings! Please save your current configuration first!	
	Reset

The section "Settings" enables the loading, saving and resetting of configuration settings.

Save configuration

In this menu, you can save the current configuration file on your computer.

The name of the configuration file will be generated after clicking the button "Save". Click on the name of the file in order to save it.



Restoring the configuration

Click on "Browse", select the previously saved Bin file and then click on "Load" in order to restore your saved settings.

DualDrive Network Center	
Setting	- Stat
Restore configuration settings	Set
Attentions Restoring the configuration will delete your actual settingsi Please save your current configuration first	Settin
Durchauchen	-
1086	U
Save configuration settings	Share Fold
Download your current configuration.	FTP Sen
3ave	Media Serv
Default configuration settings	
Attention: Reseting the configuration to factory defaults will delete your actual settings! Please save your current configuration first! Renet	

Resetting to factory default settings

Click on "Reset" in order to reset the device to the factory default settings.

DualDrive Network Center	
Setting	Status
Restore configuration settings	Setup
Attentions Restoring the configuration will delete your actual Rease save your current configuration first!	el settingsi Settings
Durchescher.	Log
	LONE User
Save configuration settings	Share Folder
Download your current configuration.	FTP Server
	Sare Media Server
Default configuration settings	
Attention: Reseting the configuration to factory defaults will Please save your current configuration first!	I delete your actual settings!



Log



The section "Log" shows you an overview of the system operations.

System Log - Overview of the Kernel Log

Go to Log -> System

All events relating to the Kernels are displayed in the Kernel Log.






Connection Log

Go to Log-> Connection


All FTP connection events are displayed in the Connection Log.



Event Log - Overview of the Event Log

Go to Log -> Event

All service events (e.g. Samba) are displayed in the Event Log.





Users (User administration)	
DualDrive Network Center	
User	Status
User Management	Setup
Account Quota Setting Used Create Delete	Settings
	Log
	User
	Share Folder
	FTP Server
	Media Server
	BT Download
© Copyright Press	um - All registra menemali

The section "Users" shows you an overview of all user accounts, the storage capacity used, and provides the facility of adding new users.

Creating users

To create a new user, click on "Create".

DualDrive Network Center	
User	Status
User Management	Setup
Create Delete	Settings
Crease Delete	Log
	User
	Share Folder
	FTP Server
	Media Server
	BT Download
© Country of Processor - All rights reserved	



A pop-up menu appears, in which you can assign the user name, password and storage space.

DualDrive Network Center	
[User	Statu
User Management	Setu
Create User	Setting
User Name	Log
Password	Use
Guida Setting 5 GB	Share Foider
Apply Cancel	FTP Serve
	Media Serve
	BT Download

Folder Release

The section "Folder release" provides you with the facility of activating various services ("Enable") or deactivating them ("Disable"), and defining the size of the "Public" folder. The utilisation of the "Public" folder is also displayed, and you can manage folders.

		INNECESTIVE COMMAN BUALITY
Share		St
Samha Service		Si
Service Status Master browser	Ø Enable ● Disable ● Enable Ø Disable	Sett
Opiocks option Recycle.bin folders Public share used	Cnable Disable Cnable Disable 6.846	
Public share quota	50 (23	Apply
		Share Fo
Folder Manager		FTP Se
Available Folders	hdak * Neča * Heča * Heča * Heča * Heča * Heča *	Media Se Ad Edi Deinte
Account	Login Wittle Access	



The following services are available:

Service Status

This activates or deactivates the SMB function.

Master Browser

The Master Browser manages all computer names on the network. In Windows networks, Windows provides the Master Browser. In the normal case, the activation of the Master Browser is not necessary.

Oplocks Option

Oplocks ("Opportunistic locking") is a file locking mechanism in the SMB protocol, which was designed in order to improve the performance by means of controlled caching of files.

Recycle.bin folders

Recycle.bin folders in SMB releases are created or not created.



Share		Sta
Samba Service		Set
Service Status	Enable Disable	
Master browser Oplocks option	Enable O Disable Enable O Disable	Settin
Recycle.bin folders	Enable Disable	
	6.8MB	
Public share quota	50 G8	U
		Anniz Share Fold
Folder Manager		FTP Serv
Available Folders	Public A Mida Int RECommit FREECOM_HOD	Add Edit
Account	- Login Write Access	Defete

In the Folder Manager you can add new folders, edit folders or delete them.

				INNOVATIVE GERMAN QUALITY
Share				St
Samba Service				s
Service Status Master browser	 ● Enable ● Disable ● Enable ● Disable 			Set
Oplocks option Recycle.bin folders Public share used	 Enable Disable Enable Disable 6.6MB 			
Public share quota	50	GB		
			Apply	Share Fo
Folder Manager				FTP Se
Available Folders	Public Meda Bit Torrent FREECOM_HOD		Add Edit	Media Se
		-	Delete	
Account	Login	Write Access	d.	



Click on "Add" in order to create a new folder. Then select the access authorisation and click on "Apply" in order to accept the change.




If you click on "Edit" or "Delete", you can then edit or delete the created folders.

Share				
SHALE				Sta
Samba Service				Se
Service Status	Enable Oisable			
Master browser	Enable O Disable			Setti
Oplocks option Recycle.bin folders	 Enable Disable Disable 			
Recycle.bin toiders Public share used	Enable Disable 6.8MB			1.000
Public share guota	50	GB		L. L. L.
	10			
			Apply	Share Fo
Folder Manager				FTP Ser
Available Folders	Public Meda B&Torrent FREECOM_HDD		Add Edit Delate	Media Ser
Account	Login	Write Access	-/	



FTP Server

The section "FTP" gives you the facility of setting up and managing an FTP server.



FTP Setup

Under FTP Setup you can activate ("Enable") and deactivate ("Disable") the FTP server, assign the service port and set the passive mode port range for the FTP server.

DualDrive Netwo	'k Center	
FTP		Status
FTP Setup		Setup
Service Status Service port	Cnable Disable 21	Settings
PASV mode port range	65400 - 65420 50000-65534	Apply Log
		Usar
Anonymous Configuration		Share Folder
Allow Anonymous FTP Access? Anonymous FTF Access	 Enable O Disable Read Only O Read / Write 	FTP Server
		Apply Media Server



Anonymous Configuration

Under "Anonymous Configuration" you can enable or disable the FTP access of anonymous users. You can also specify whether anonymous users will have read-and-write rights or only read rights to your FTP server.

Click on "Apply" in order to accept the changes.

Anonymous users log in with the user name Anonymous and use an e-mail address as the password.

DualDrive Netv	vork Center			II FREECOM
FTP				Sta
FTP Setup				Se
Service Status Service port PAGV mode port range	 Enable Disable Disable C5400 C5420 		1	Setti
			Apply	
				<u>ب</u>
Anonymous Configuration	in 🔪 🔜			Share Fol
Allow Anonymous FTP Access Anonymous FTP Access	ss? • Enable • Disabl • Read Only • Re			FTP Ser
/	*		Asoly	Media Ser
Folder Manager				
Available Folders	Public Moda BEToment FREECON_HOD		Add Edit	
		-	Delata	
Account	Login	Write Access		

Under "Folder Manager", you can release, add, edit or delete folders for your FTP server.

DualDrive Netwo		
rm.		Statu
FTP Setup		
Service Status Service port MSV mode port range	Enable Disable 21 45400 - 65420 50000-65534	Setting
way mode porc range	5500 - 6920 50000-65534	Arey.
		Use
Anonymous Configuration		Share Folds
Allow Anonymous FTP Access? Anonymous FTP Access	 Enable O Disable Read Only O Read / Write 	FTP Serve
		Appy Media Serve
Folder Manager		
Available Poklers	PUDK * Moda BitTorret FIEECOM_HOD	Ard
Account	- Login Write Access	Delate



Media Server

DualDrive Network Center	II FREECOM
DUALPHAR inves	Sta
Register Media Server	Se
You ca find the license key within package of your device or you can purchase it seperatery to update your device to a Media Center version.	Setti
Apply	
and the second se	u
You car buy a license key in our webshop: http://www.freecom.com	share Fol
	FTP Ser
	Media Ser

The section "Media Server" offers you the facility, after entering the license key, to use the device as a media server or use the bit torrent client of the device.

DLNA/uPnP

After entering the key, you can use and configure the DLNA/uPnP service. Click on "Enable" in order to activate the service. Then select the scan method. For "Interval", you must select the interval time under "Rescan Interval". Select one or more folders with multimedia contents and click on "Apply" in order to accept the changes.

DualDrive Netv	vork Media Center	
	•	Statu
DLNA/uPnP Setup		
DLNA/uPnP Status Rescan Method Rescan Interval	Enable Automatic O Interval S minutes	Setting
Current DUNA/uPnP Foider	None Selected	
	App	oly Rescan Use
Current Folder : /		Share Folde
Media BitTorrent FREECOM_HDD		FTP Serve
- RECON_NOV		Media Serve
		BT Downloa
	at Country Pressure - Millinghis reserved	



iTunes

DLNA/uPnP Tunes		
1		Stat
ITunes Setup	Enable O Disable	Set
Current Music Folder	None Selected	Settin
		pply Rescan
Current Folder : /		U
Media BitTorrent		Share Fold
FREECOM_HDD		FTP Serv
		Media Serv
		BT Downlo

Activate the service by clicking on "Enable". Select one or more folders with multimedia contents and click on "Apply" in order to accept the changes. Your media releases must be in subsidiary folders of the released folders.

BT Download

DualDrive Network Media Center	
List Setup	Status
Upload torrents	Setup
Durchsuchen.	Settings
Apply Cancel.	Log
Torrents List	User
Defete Stat Stop NANE Status Completed Size	Share Folder
Refresh	FTP Server
	Media Server
	BT Download
. @ Opyinght Treason: 1 AP rights reasoned	_

The bit torrent client of the device is located in the section BT Download. Here you can add and download Torrent files.



List

Under "List", you can add torrent files by clicking on "Upload torrents" and "Browse". Then click on "Apply" in order to accept the changes.

DualDrive Network Media Center	
List Setup	Status
Upload torrents	Setup
Durchsuchen.	Settings
Apply Cancel	Log
Torrents List	User
Delete Start Stop NAME Status Completed Size	Share Folder
NAME Status Completed Size	FTP Server
	Media Server
	BT Download

"Torrent List" shows you an overview of the torrent files in the bit torrent client which have just been downloaded. Click on "Refresh" in order to update the overview.

DualDrive Network Media Center	
List	Status
Upload torrents	Setup
Durchsuchen.	Settings
Apply. Centel.	Log
/ Torrents List	User
Delete Start Stop	Share Folder
NAME Status Completed Size	FTP Server
	Media Server
	BT Download
@ Copyright Interiory +81 rights reserved	



Chapter: The Freecom Network Storage Assistant

Features of the Freecom Network Storage Assistant (PC)

The Freecom Network Storage Assistant helps you to locate each Dual Drive Network Center in your network. When started, it displays all Dual Drive Network Center available in your network and helps you to create network folders. You may also perform any of the functions of the Freecom Network Storage Assistant manually.

				_	
Freecom Network Storage Assis	tant [1.83]			X	
	LAN IP Address	Server Name	Name		
<i>II FREECOM</i>	(1) 192.168.11.26	\\DDNetwork Center	DDNetwork Center		
	You can do follow	ring tasks:			
	<u>Configure basic settings of your Freecom Network Storage device</u>				
	• Web interfa	ce of your Freecom Netv	vork Storage device		
	• Add & Rem	ove mapped shares			
	• Add a new p	printer			
	<u>Start recove</u>	ry procedure			
	Search again	n for available Freecom I	Network Storage devices		
www.freecom.com			Exit		

The preset password and login name for the Dual Drive Network Center are:

Login Name:	admin
Password:	admin

Configure basic settings of your Dual Drive Network Center

In this screen, you can set an IP address, subnet mask, device name and workgroup name for your Dual Drive Network Center. With this information, it is easy to locate your Dual Drive Network Center in the network without the FNSA. To change the settings, you have to enter the administrator password.

Accessing your Dual Drive Network Center web interface

When you click this menu item, the web interface for your Dual Drive Network Center opens in your default browser.



Adding and removing mapped network shares

You can assign a drive letter to shared folders on your Dual Drive Network Center. This allows you to access files in Windows more quickly.

Freecom Network Sto	rage Assistant [1.83]			×
Select a share and map	it to a drive letter.			
Shared Folders				^
DUBLIC	🗙 Don't map share	•		
music	Not mapped			
Change login name?		Map	Disconnect	Close

Start recovery procedure

This procedure can reset and repair a Dual Drive Network Center to factory default settings if you cannot access your Dual Drive Network Center anymore.

To restore your settings, please proceed as follows:

- a) Enable the Recovery mode by clicking 'Start the recovery procedure' in the Freecom Network Storage Assistant.
- b) Turn the Dual Drive Network Center off.
- c) Use a pointed object to carefully press the 'Reset' button. It is located next to the AC power slot on the back of the Dual Drive Network Center.
- d) Keep the 'Reset' button pressed down and turn device on again.
- e) Wait until white LED goes off (ca. 1 second), the release the 'Reset' button.



Repeat search for available Freecom Network Storage devices

Click here to repeat the search for your Dual Drive Network Center if it was not detected during the first search. Please make sure that your network is configured as described above in this manual and that all cables are properly attached.

Features of the Freecom Network Storage Assistant (Mac)

The Freecom Network Storage Assistant helps you to locate each Dual Drive Network Center in your network. When started, it displays all Dual Drive Network Center available in your network and helps you configure the Dual Drive Network Center and that create network folders. You may also perform any of the functions of the Freecom Network Storage Assistant manually.

	IP Address	Server Name	Name
I FREECOM	192.168.11.26	smb \\DDNetwork Center	DDNetwork Center
	You can do following		om Network Storage device
	(Web inte	erface of your Freecom N	etwork Storage device
	Connect to a s	hared folder of your Free	com Network Storage device
	Search aga	in for available Freecom	Network Storage devices

The preset password and login name for the Dual Drive Network Center are:

Login Name:	admin
Password:	admin



Configure basic settings of your Freecom Dual Drive Network Center

In this screen, you can set an IP address, subnet mask, device name and workgroup name for your Dual Drive Network Center. With this information, it is easy to locate your Dual Drive Network Center in the network without the wizard. To change the settings, you have to first enter the administrator password.

Web interface of your Freecom Network Storage device

When you click this menu item, the web interface for your Dual Drive Network Center opens in your default browser.

Connect to a shared folder of your Freecom Network Storage device

This window allows you to mount any folder of your Dual Drive Network Center on your Mac. This allows fast accesses to this folders.

	ାହୀ ହୀ 😏	
Select the SMB/CIFS shared volume you want to connect to. music • Cancel Authenticate OK	****	Select the volumes to mount: MUBLIC Cancel
Mac OS X 10.4		Mac OS X 10.5

Search again for available Freecom Network Storage devices

Click here to repeat the search for your Dual Drive Network Center if it was not detected during the first search. Please make sure that your network is configured as described above in this manual and that all cables are properly attached.



We thank you for purchasing this Freecom product and hope you will enjoy using it. In order to avoid unnecessary inconvenience on your part, we suggest reading the quick install guide, instruction manual and any additional electronic and or printed manuals. When problems occur we have a database with Frequently Asked Questions (FAQ) on our Freecom website (www.freecom.com), please check this site before you contact the helpdesk.

Your Guarantee

All Freecom products come with unlimited technical phone and web support. By this Guarantee, Freecom warrants their products to be free from defects in material and workmanship for a period listed below from the date of its original purchase. If during this period of guarantee the product proves defective due to improper materials or workmanship, Freecom will, without charge for labour or parts, at its sole discretion, repair or replace the product or its defective parts upon the terms and conditions set out below.

Conditions

This guarantee will be granted only when the original invoice or sales receipt (indicating the date of purchase, product and serial number) is presented together with the defective product and a Freecom RMA number received from the Freecom Website or given by a Freecom Service Center. Freecom reserves the right to refuse the free-ofcharge guarantee services when the date of purchase of the product cannot be proven. This guarantee will not apply if the RMA number is missing, the serial number on the product has been altered, removed or made illegible.

This guarantee covers only the hardware components packaged with the product. This guarantee covers none of the following: (a) any consumable supplied with the product, such as media or batteries; (b) damage to or loss of any software programs, data or removable storage media; (c) any damage resulting from adaptations, changes or adjustments, which may have been made to the product, without the prior written consent of Freecom; (d) attempted repair by any party other than authorized by Freecom and (e) accidents, lightning, water, fire or any other such cause beyond the reasonable control of Freecom.

With respect to all services provided, Freecom is not responsible for any damage to or loss of any programs, data or other information stored on any media or any part of any product serviced. Freecom is not liable for the consequence of business loss in case of system failure. Be sure to exclude all parts not covered by this guarantee prior to returning the product to Freecom. Freecom is not liable for any loss or damage to these items. If during the repair of the product the contents of the hard drive are altered, deleted or in any way modified, Freecom is not liable whatsoever.

Repair parts and replacement products will be provided on an exchange basis and will be either new, equivalent to new or reconditioned. All replaced parts and products become the property of Freecom The period of guarantee for any product or part repaired or replaced in warranty shall be the balance of the original guarantee. Repairs or replacements on product or parts out of warranty carry **6** (six) months guarantee.

Licensing Information

This **Freecom product DDNC** includes copyrighted third-party software licensed under the terms of the GNU General Public License. Please see The GNU General Public License for the exact terms and conditions of this license.

Specially, the following parts of this product are subject to the GNU GPL:

U-Boot: version 1.1.2	GPI v2	
Linux Kernel version: 2.6.24.4	GPLv2	
BusyBox version: 1.10.3	GPLv2	
Samba version: 3.0.25	GPLv2	
Xfsprogs version: 2.7.11	LGPLv2.1	
howl version: 1.0.0	Porchdog Software License	
mt-daapd version: 0.2.4.2	GPLv2	
djmount version: 0.71	GPLv2	
Dropbear version: 0.51	MIT	
mtd version: 1.1.0	GPLv2	
mdadm version: 2.6.4	GPLv2	
ntfs-3g version 2009.4.4	GPLv2	
ProFTPD version: 1.3.1	GPLv2	
Smartmontools version: 5.33	GPLv2	
Udevd version: 115	GPLv2	
uShare version: 1.1a	GPLv2	
openssl version: 0.9.7e	OpenSSL License/Original SSLeay License	
efsprogs version: 1.41.3	GPLv2 / LibGPLv2	
libid3tag version: 0.15.1b	GPLv2	
coreutils version: 6.9	GPLv2	
findutils version: 4.2.31	GPLv2	
logrotate version: 3.7.8	GPLv2	
LPRng version: 3.8.33	GPLv2	
sysklogd version: 1.5	GPLv2	
ffmpeg-checkout version: 2009-02-17	GPLv2/LGPLv2.1	
fuse version: 2.6.1	GPLv2	
gettext version: 0.16.1	GPLv2	
libdlna version: 0.2.3	LGPLv2.1	
libupnp version: 1.6.6	Intel Copyright	

All listed software packages are copyright by their respective authors. Please see the source code for detailed information. Source code and tool chain can be found at http://gpl.freecom.com

Availability of source code

Freecom has exposed the full source code of the GPL licensed software, including any scripts to control compilation and installation of the object code. All future firmware updates will also be accompanied with their respective source code. For more information on how you can obtain our open source code, please visit our web site.

License texts

GPLv2 License text The LGPLv2.1 License text GNU Library GPLv2 The MIT license text OpenSSL License Original SSLeay License Porchdog Software License Intel Copyright

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. Temple Place, Suite 330, Boston, MA 02111-1307 USA Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

- 3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:
 - a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
 - b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
 - c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

- 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.
- 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.
- 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not

impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances. It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

- 8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.
- 9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

- 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.
- 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

1. April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc. 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages typically libraries of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to

free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

- 2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:
 - a) The modified work must itself be a software library.
 - b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
 - c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
 - d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including

whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

- 7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:
 - a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
 - b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.
- 8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.
- 9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.
- 10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.
- 11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is

intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

- 12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.
- 13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

- 15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.
- 16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

GNU LIBRARY GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is numbered 2 because it goes with version 2 of the ordinary GPL.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software to make sure the software is free for all its users.

This license, the Library General Public License, applies to some specially designated Free Software Foundation software, and to any other libraries whose authors decide to use it. You can use it for your libraries, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link a program with the library, you must provide complete object files to the recipients so that they can relink them with the library, after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright the library, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain that everyone understands that there is no warranty for this free library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original version, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain designated libraries. This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary General Public License treats it as such.

Because of this blurred distinction, using the ordinary General Public License for libraries did not effectively promote software sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the users of those programs of all benefit from the free status of the libraries themselves. This Library General Public License is intended to permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

GNU LIBRARY GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

- 2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:
 - a) The modified work must itself be a software library.
 - b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
 - c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
 - d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- c) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

- 7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:
 - a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
 - b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.
- 8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.
- 9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.
- 10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.
- 11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances. It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

- 12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.
- 13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

- 15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.
- 16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

The MIT License

Copyright (c)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Original SSLeay License

Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com) All rights reserved.

This package is an SSL implementation written by Eric Young (eay@cryptsoft.com).

The implementation was written so as to conform with Netscapes SSL.

This library is free for commercial and non-commercial use as long as the following conditions are aheared to. The following conditions apply to all code found in this distribution, be it the RC4, RSA, Ihash, DES, etc., code; not just the SSL code. The SSL documentation included with this distribution is covered by the same copyright terms except that the holder is Tim Hudson (tjh@cryptsoft.com).

Copyright remains Eric Young's, and as such any Copyright notices in the code are not to be removed.

If this package is used in a product, Eric Young should be given attribution as the author of the parts of the library used.

This can be in the form of a textual message at program startup or in documentation (online or textual) provided with the package.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- 1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
- 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- 3. All advertising materials mentioning features or use of this software must display the following acknowledgement: "This product includes cryptographic software written by Eric Young (eay@cryptsoft.com)" The word ,cryptographic' can be left out if the rouines from the library being used are not cryptographic related :-).
- 4. If you include any Windows specific code (or a derivative thereof) from the apps directory (application code) you must include an acknowledgement: "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"

THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The licence and distribution terms for any publically available version or derivative of this code cannot be changed. i.e. this code cannot simply be copied and put under another distribution licence [including the GNU Public Licence.]

Copyright (c) 2003, 2004 Porchdog Software

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Portions of Howl are covered under the Apple Public Source License (APSL).

Please read this License carefully before downloading this software. By downloading or using this software, you are agreeing to be bound by the terms of this License. If you do not or cannot agree to the terms of this License, please do not download or use the software.

- 1. General; Definitions. This License applies to any program or other work which Apple Computer, Inc. ("Apple") makes publicly available and which contains a notice placed by Apple identifying such program or work as "Original Code" and stating that it is subject to the terms of this Apple Public Source License version 2.0 ("License"). As used in this License:
- 1.1 "Applicable Patent Rights" mean: (a) in the case where Apple is the grantor of rights, (i) claims of patents that are now or hereafter acquired, owned by or assigned to Apple and (ii) that cover subject matter contained in the Original Code, but only to the extent necessary to use, reproduce and/or distribute the Original Code without infringement; and (b) in the case where You are the grantor of rights, (i) claims of patents that are now or hereafter acquired, owned by or assigned to You and (ii) that cover subject matter in Your Modifications, taken alone or in combination with Original Code.
- 1.2 "Contributor" means any person or entity that creates or contributes to the creation of Modifications.
- 1.3 ",Covered Code" means the Original Code, Modifications, the combination of Original Code and any Modifications, and/or any respective portions thereof.
- 1.4 "Externally Deploy" means: (a) to sublicense, distribute or otherwise make Covered Code available, directly or indirectly, to anyone other than You; and/or (b) to use Covered Code, alone or as part of a Larger Work, in any way to provide a service, including but not limited to delivery of content, through electronic communication with a client other than You.
- 1.5 "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.
- 1.6 "Modifications" mean any addition to, deletion from, and/or change to, the substance and/or structure of the Original Code, any previous Modifications, the combination of Original Code and any previous Modifications, and/or any respective portions thereof. When code is released as a series of files, a Modification is: (a) any addition to or deletion from the contents of a file containing Covered Code; and/or (b) any new file or other representation of computer program statements that contains any part of Covered Code.
- 1.7 "Original Code" means (a) the Source Code of a program or other work as originally made available by Apple under this License, including the Source Code of any updates or upgrades to such programs or works made available by Apple under this License, and that has been expressly identified by Apple as such in the header file(s) of such work; and (b) the object code compiled from such Source Code and originally made available by Apple under this License.
- 1.8 "Source Code" means the human readable form of a program or other work that is suitable for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an executable (object code).

- 1.9 "You" or "Your" means an individual or a legal entity exercising rights under this License. For legal entities, "You" or "Your" includes any entity which controls, is controlled by, or is under common control with, You, where "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of fifty percent (50%) or more of the outstanding shares or beneficial ownership of such entity.
- 2. Permitted Uses; Conditions & Restrictions. Subject to the terms and conditions of this License, Apple hereby grants You, effective on the date You accept this License and download the Original Code, a world-wide, royalty-free, non-exclusive license, to the extent of Apple's Applicable Patent Rights and copyrights covering the Original Code, to do the following:
- 2.1 Unmodified Code. You may use, reproduce, display, perform, internally distribute within Your organization, and Externally Deploy verbatim, unmodified copies of the Original Code, for commercial or non-commercial purposes, provided that in each instance:
 - (a) You must retain and reproduce in all copies of Original Code the copyright and other proprietary notices and disclaimers of Apple as they appear in the Original Code, and keep intact all notices in the Original Code that refer to this License; and
 - (b) You must include a copy of this License with every copy of Source Code of Covered Code and documentation You distribute or Externally Deploy, and You may not offer or impose any terms on such Source Code that alter or restrict this License or the recipients' rights hereunder, except as permitted under Section 6.
- 2.2 Modified Code. You may modify Covered Code and use, reproduce, display, perform, internally distribute within Your organization, and Externally Deploy Your Modifications and Covered Code, for commercial or non-commercial purposes, provided that in each instance You also meet all of these conditions:
 - (a) You must satisfy all the conditions of Section 2.1 with respect to the Source Code of the Covered Code;
 - (b) You must duplicate, to the extent it does not already exist, the notice in Exhibit A in each file of the Source Code of all Your Modifications, and cause the modified files to carry prominent notices stating that You changed the files and the date of any change; and
 - (c) If You Externally Deploy Your Modifications, You must make Source Code of all Your Externally Deployed Modifications either available to those to whom You have Externally Deployed Your Modifications, or publicly available. Source Code of Your Externally Deployed Modifications must be released under the terms set forth in this License, including the license grants set forth in Section 3 below, for as long as you Externally Deploy the Covered Code or twelve (12) months from the date of initial External Deployment, whichever is longer. You should preferably distribute the Source Code of Your Externally Deployed Modifications electronically (e.g. download from a web site).
- 2.3 Distribution of Executable Versions. In addition, if You Externally Deploy Covered Code (Original Code and/or Modifications) in object code, executable form only, You must include a prominent notice, in the code itself as well as in related documentation, stating that Source Code of the Covered Code is available under the terms of this License with information on how and where to obtain such Source Code.
- 2.4 Third Party Rights. You expressly acknowledge and agree that although Apple and each Contributor grants the licenses to their respective portions of the Covered Code set forth herein, no assurances are provided by Apple or any Contributor that the Covered Code does not infringe the patent or other intellectual property rights of any other entity. Apple and each Contributor disclaim any liability to You for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, You hereby assume sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow You to distribute the Covered Code, it is Your responsibility to acquire that license before distributing the Covered Code.
- 3. Your Grants. In consideration of, and as a condition to, the licenses granted to You under this License, You hereby grant to any person or entity receiving or distributing Covered Code under this License a non-exclusive, royalty-free, perpetual, irrevocable license, under Your Applicable Patent Rights and other intellectual property rights (other than patent) owned or controlled by You, to use, reproduce, display, perform, modify, sublicense, distribute and Externally Deploy Your Modifications of the same scope and extent as Apple's licenses under Sections 2.1 and 2.2 above.
- 4. Larger Works. You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In each such instance, You must make sure the requirements of this License are fulfilled for the Covered Code or any portion thereof.
- 5. Limitations on Patent License. Except as expressly stated in Section 2, no other patent rights, express or implied, are granted by Apple herein. Modifications and/or Larger Works may require additional patent licenses from Apple which Apple may grant in its sole discretion.

- 6. Additional Terms. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations and/or other rights consistent with the scope of the license granted herein ("Additional Terms") to one or more recipients of Covered Code. However, You may do so only on Your own behalf and as Your sole responsibility, and not on behalf of Apple or any Contributor. You must obtain the recipient's agreement that any such Additional Terms are offered by You alone, and You hereby agree to indemnify, defend and hold Apple and every Contributor harmless for any liability incurred by or claims asserted against Apple or such Contributor by reason of any such Additional Terms.
- 7. Versions of the License. Apple may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Once Original Code has been published under a particular version of this License, You may continue to use it under the terms of that version. You may also choose to use such Original Code under the terms of any subsequent version of this License published by Apple. No one other than Apple has the right to modify the terms applicable to Covered Code created under this License.
- 8. NO WARRANTY OR SUPPORT. The Covered Code may contain in whole or in part pre-release, untested, or not fully tested works. The Covered Code may contain errors that could cause failures or loss of data, and may be incomplete or contain inaccuracies. You expressly acknowledge and agree that use of the Covered Code, or any portion thereof, is at Your sole and entire risk. THE COVERED CODE IS PROVIDED "AS IS" AND WITHOUT WARRANTY, UPGRADES OR SUPPORT OF ANY KIND AND APPLE AND APPLE'S LICENSOR(S) (COLLECTIVELY REFERRED TO AS "APPLE" FOR THE PURPOSES OF SECTIONS 8 AND 9) AND ALL CONTRIBUTORS EXPRESSLY DISCLAIM ALL WARRANTIES AND/OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES AND/OR CONDITIONS OF MERCHANTABILITY, OF SATISFACTORY QUALITY, OF FITNESS FOR A PARTICULAR PURPOSE, OF ACCURACY, OF QUIET ENJOYMENT, AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. APPLE AND EACH CONTRIBUTOR DOES NOT WARRANT AGAINST INTERFERENCE WITH YOUR ENJOYMENT OF THE COVERED CODE, THAT THE FUNCTIONS CONTAINED IN THE COVERED CODE WILL MEET YOUR REQUIREMENTS, THAT THE OPERATION OF THE COVERED CODE WILL BE UNINTERRUPTED OR ERROR-FREE, OR THAT DEFECTS INTHE COVERED CODE WILL BE CORRECTED. NO ORAL OR WRITTEN INFORMATION OR ADVICE GIVEN BY APPLE, AN APPLE AUTHORIZED REPRESENTATIVE OR ANY CONTRIBUTOR SHALL CREATE A WARRANTY. You acknowledge that the Covered Code is not intended for use in the operation of nuclear facilities, aircraft navigation, communication systems, or air traffic control machines in which case the failure of the Covered Code could lead to death, personal injury, or severe physical or environmental damage.
- 9. LIMITATION OF LIABILITY. TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT SHALL APPLE OR ANY CONTRIBUTOR BE LIABLE FOR ANY INCIDENTAL, SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR RELATING TO THIS LICENSE OR YOUR USE OR INABILITY TO USE THE COVERED CODE, OR ANY PORTION THEREOF, WHETHER UNDER A THEORY OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE), PRODUCTS LIABILITY OR OTHERWISE, EVEN IF APPLE OR SUCH CONTRIBUTOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES AND NOTWITHSTANDING THE FAILURE OF ESSENTIAL PURPOSE OF ANY REMEDY. SOME JURISDICTIONS DO NOT ALLOW THE LIMITATION OF LIABILITY OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS LIMITATION MAY NOT APPLY TO YOU. In no event shall Apple's total liability to You for all damages (other than as may be required by applicable law) under this License exceed the amount of fifty dollars (\$50.00).
- 10. Trademarks. This License does not grant any rights to use the trademarks or trade names "Apple", "Apple Computer", "Mac", "Mac OS", "QuickTime", "QuickTime Streaming Server" or any other trademarks, service marks, logos or trade names belonging to Apple (collectively "Apple Marks") or to any trademark, service mark, logo or trade name belonging to any Contributor. You agree not to use any Apple Marks in or as part of the name of products derived from the Original Code or to endorse or promote products derived from the Original Code other than as expressly permitted by and in strict compliance at all times with Apple's third party trademark usage guidelines which are posted at http://www.apple.com/legal/guidelinesfor3rdparties.html.
- 11. Ownership. Subject to the licenses granted under this License, each Contributor retains all rights, title and interest in and to any Modifications made by such Contributor. Apple retains all rights, title and interest in and to the Original Code and any Modifications made by or on behalf of Apple ("Apple Modifications"), and such Apple Modifications will not be automatically subject to this License. Apple may, at its sole discretion, choose to license such Apple Modifications under this License, or on different terms from those contained in this License or may choose not to license them at all.
- 12. Termination.
- 12.1 Termination. This License and the rights granted hereunder will terminate:
 - (a) automatically without notice from Apple if You fail to comply with any term(s) of this License and fail to cure such breach within 30 days of becoming aware of such breach;
 - (b) immediately in the event of the circumstances described in Section 13.5(b); or
 - (c) automatically without notice from Apple if You, at any time during the term of this License, commence an action for patent infringement against Apple; provided that Apple did not first commence an action for patent infringement against You in that instance.

- 12.2 Effect of Termination. Upon termination, You agree to immediately stop any further use, reproduction, modification, sublicensing and distribution of the Covered Code. All sublicenses to the Covered Code which have been properly granted prior to termination shall survive any termination of this License. Provisions which, by their nature, should remain in effect beyond the termination of this License shall survive, including but not limited to Sections 3, 5, 8, 9, 10, 11, 12.2 and 13. No party will be liable to any other for compensation, indemnity or damages of any sort solely as a result of terminating this License in accordance with its terms, and termination of this License will be without prejudice to any other right or remedy of any party.
- 13. Miscellaneous.
- 13.1 Government End Users. The Covered Code is a "commercial item" as defined in FAR 2.101. Government software and technical data rights in the Covered Code include only those rights customarily provided to the public as defined in this License. This customary commercial license in technical data and software is provided in accordance with FAR 12.211 (Technical Data) and 12.212 (Computer Software) and, for Department of Defense purchases, DFAR 252.227-7015 (Technical Data Commercial Items) and 227.7202-3 (Rights in Commercial Computer Software or Computer Software Documentation). Accordingly, all U.S. Government End Users acquire Covered Code with only those rights set forth herein.
- 13.2 Relationship of Parties. This License will not be construed as creating an agency, partnership, joint venture or any other form of legal association between or among You, Apple or any Contributor, and You will not represent to the contrary, whether expressly, by implication, appearance or otherwise.
- 13.3 Independent Development. Nothing in this License will impair Apple's right to acquire, license, develop, have others develop for it, market and/or distribute technology or products that perform the same or similar functions as, or otherwise compete with, Modifications, Larger Works, technology or products that You may develop, produce, market or distribute.
- 13.4 Waiver; Construction. Failure by Apple or any Contributor to enforce any provision of this License will not be deemed a waiver of future enforcement of that or any other provision. Any law or regulation which provides that the language of a contract shall be construed against the drafter will not apply to this License.
- 13.5 Severability. (a) If for any reason a court of competent jurisdiction finds any provision of this License, or portion thereof, to be unenforceable, that provision of the License will be enforced to the maximum extent permissible so as to effect the economic benefits and intent of the parties, and the remainder of this License will continue in full force and effect. (b) Notwithstanding the foregoing, if applicable law prohibits or restricts You from fully and/or specifically complying with Sections 2 and/or 3 or prevents the enforceability of either of those Sections, this License will immediately terminate and You must immediately discontinue any use of the Covered Code and destroy all copies of it that are in your possession or control.
- 13.6 Dispute Resolution. Any litigation or other dispute resolution between You and Apple relating to this License shall take place in the Northern District of California, and You and Apple hereby consent to the personal jurisdiction of, and venue in, the state and federal courts within that District with respect to this License. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded.
- 13.7 Entire Agreement; Governing Law. This License constitutes the entire agreement between the parties with respect to the subject matter hereof. This License shall be governed by the laws of the United States and the State of California, except that body of California law concerning conflicts of law.

Where You are located in the province of Quebec, Canada, the following clause applies: The parties hereby confirm that they have requested that this License and all related documents be drafted in English. Les parties ont exige que le present contrat et tous les documents connexes soient rediges en anglais.

EXHIBIT A.

"Portions Copyright (c) 1999-2003 Apple Computer, Inc. All Rights Reserved.

This file contains Original Code and/or Modifications of Original Code as defined in and that are subject to the Apple Public Source License Version 2.0 (the ,License'). You may not use this file except in compliance with the License. Please obtain a copy of the License at http://www.opensource.apple.com/apsl/ and read it before using this file.

The Original Code and all software distributed under the License are distributed on an, AS IS' basis, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, AND APPLE HEREBY DISCLAIMS ALL SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT OR NON-INFRINGEMENT. Please see the License for the specific language governing rights and limitations under the License."

Copyright (c) 2000-2003 Intel Corporation

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither name of Intel Corporation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTEL OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.